

WEST Search History

DATE: Saturday, November 15, 2003

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ

L43 L42

1 L43

DB=USPT,PGPB,JPAB,EPAB; THES=ASSIGNEE; PLUR=YES; OP=ADJ

L42 L41 and xylanase

2 L42

L41 L40 and lipase

13 L41

L40 L39 and protease

16 L40

L39 L37 and amylase

16 L39

L38 L37 and lysostaphin

0 L38

L37 L36 and surfactant and enzyme

18 L37

L36 (((510/\$)!.CCLS.)) and (staphylococcus Epidermidis)

48 L36

L35 (((510/\$)!.CCLS.)) and (staphylococcus staphylococcus)

0 L35

L34 ((510/\$)!.CCLS.) and (Staphylococcus simulans)

1 L34

DB=USPT,JPAB,EPAB; THES=ASSIGNEE; PLUR=YES; OP=ADJ

L33 US-6423299-\$.did.

1 L33

L32 US-6432444-\$.did.

1 L32

L31 US-6432444-\$.did. and US-6423299-\$.did.

0 L31

L30 L28 and amylase

0 L30

L29 L28 and enzyme

2 L29

DB=USPT,PGPB,JPAB,EPAB; THES=ASSIGNEE; PLUR=YES; OP=ADJ

L28 (((8/\$)!.CCLS.)) and lysostaphin

3 L28

L27 ((510/\$)!.CCLS.) and lysostaphin

1 L27

DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ

L26 L24 and (amylase or lipase or protease)

6 L26

L25 L24 and amylase and lipase and protease

0 L25

L24 L1 and clean\$

6 L24

L23 L1 and detergent composition

0 L23

L22 L3 and amylase and lipase and protease

1 L22

L21 L20 and enzyme

1 L21

L20 L19 and detergent

1 L20

L19 L18 and lysostaphin

2 L19

L18 (510/\$.ccls. or 8/\$.ccls. or 428/\$.ccls. or 252/\$.ccls.)

237381 L18

L17 L1 and (510/\$.ccls. or 8/\$.ccls. or 428/\$.ccls. or 252/\$.ccls.)

0 L17

L16 (510/\$.ccls. or 8/\$.ccls. or 428/\$.ccls. or 252/\$.ccls.) and lysostaphin and surfactant and enzyme

0 L16

L15 L1 and xylanase

0 L15

L14	L12 and lipase	1	L14
L13	L12 and amylase	1	L13
L12	L11 and detergent	13	L12
L11	L1 and protease	18	L11
L10	L1 and pectinase	0	L10
L9	L1 and mannanase	0	L9
L8	L1 and lipase	2	L8
L7	L1 and galactanase	0	L7
L6	L1 and arabinase	0	L6
L5	L3 and arabinase	0	L5
L4	L3 and amylase	1	L4
L3	L2 and detergent	20	L3
L2	L1	43	L2

DB=USPT,PGPB,JPAB,EPAB; THES=ASSIGNEE; PLUR=YES; OP=ADJ

L1	lysostaphin and surfactant and enzyme	85	L1
----	---------------------------------------	----	----

END OF SEARCH HISTORY



PubMed

National Library of Medicine
NLM

Entrez PubMed

Nucleotide

Protein

Genome

Structure

PMC

Journals

Books

Search PubMed

for

Limits

Preview/Index

History

Clipboard

Details

Go

Clear

Display

Abstract

Show: 20

Sort

Send to

Text

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MESH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

1: J Dairy Sci. 1991 Dec;74(12):4175-82.

Full text article at
ids.far.org

Lysostaphin: use of a recombinant bactericidal enzyme as a mastitis therapeutic.

Oldham ER, Daley MJ.

Agricultural Research Division, American Cyanamid Company Princeton, NJ 08543-0400.

A recombinant mucolytic protein, lysostaphin, was evaluated as a potential intramammary therapeutic for *Staphylococcus aureus* mastitis in dairy cattle. Lysostaphin, a product of *Staphylococcus simulans*, enzymatically degrades the cell wall of *Staphylococcus aureus* and is bactericidal. Thirty Holstein-Friesian dairy cattle in their first lactation were infected with *Staphylococcus aureus* (Newbould 305, ATCC 29740) in all quarters. Infections were established and monitored for somatic cell counts and *Staphylococcus aureus* colony-forming units 3 wk prior to subsequent treatment. Infected animals were injected through the teat canal with a single dose of recombinant lysostaphin (dose response 1 to 500 mg) or after three successive p.m. milkings with 100 mg of recombinant lysostaphin in 60 ml of sterile phosphate-buffered saline. Animals were considered cured if the milk remained free of *Staphylococcus aureus* for a total of 28 milkings after last treatment. Kinetic analysis of immunologically active recombinant lysostaphin demonstrated that a minimum bactericidal concentration was maintained in the milk for up to 36 to 48 h after a single infusion of 100 mg of recombinant lysostaphin. The cure rate of quarters receiving recombinant lysostaphin (100 mg in sterile phosphate-buffered saline, administered over three consecutive p.m. milkings) was 20% compared with 29% for sodium cephalapirin in saline and 57% for a commercial antibiotic formulation, respectively. An improved formulation of recombinant lysostaphin may prove to be an effective alternative to antibiotic therapy for bovine mastitis.

PMID: 1787188 [PubMed - indexed for MEDLINE]

Related Articles, Links

[Home/L/LY/LYSOSTAPHIN](#)

Medical Dictionary Search Engine

Advertise on this site!

A service of health-link-net.com

Escape now with great travel savings.

Roll over to explore below. ▼

Flights / Hotels / cars / vacation packages



Tickets

The Best kept secret in Travel.

Save Now >>

Browse Dictionary by alphabet

0 1 2 3 4 5 6 7 8 9 A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

<enzyme> A mixture of three different proteolytic enzymes, two of which lyse bacterial walls. It is obtained from staphylococcus staphylolyticus (s. Epidermidis). Lysostaphin is very antigenic, but has been used in animals and topically in man against certain infections.

Pharmacological action: antibiotics, peptide, anti-infective agents, local.

Registry number: EC 3.4.-

Advertisement



You
are
today's
Winner!

[Click Here to claim](#)



[Phentermine Central](#)

[Diet Pills](#)

[Diet](#)

[Loss Weight](#)